

sandwox



Automotive Aftermarket Products


Professional Abrasive
Manufacturing Service Provider

www.sandwox.com



GOOD PERFORMANCE SANDING

ALUMINUM



58


Gold Alo

Available grits

40 60 80 100 120 150 180 220 240 320 400 500 600 800



58 Gold Line is made of high-quality aluminum oxide grain, highly flexible latex paper and strong phenol resin. With the excellent, reliable performance, this product is the most cost-effective product. Can be used for wood sanding, paint, metal and hard (filler, putty) sanding.



132


Green Eco

Available grits

40 60 80 100 120 150 180 220 240 320 400 500 600 800



132 Green Eco is an affordable option made with high-quality aluminum oxide and durable craft paper. It's perfect for blending and finishing on aluminum, carbon steel, and woodworking tasks, including heavy to medium stock removal and finishing hardwoods, softwoods, and composites.



136

Green PRO

Available grits


80 100 120 150 180 220 240 320 400 600 800



136 Green Pro features a stearic acid coating for enhanced hardness and strength, enabling aggressive cutting and faster processing. Ideal for rough and intermediate grinding, it's perfect for removing old coatings, grinding concrete, applying putty, and wood processing.

BETTER PERFORMANCE SANDING

ZIRCONIA FILM




235 Grey Film Line

Available grits
40 60 80 100 120 150 180 220 240 320 400 500 600 800 1000 1200 1500 2000



235 Grey Line is a film-based product that combines zirconia and high-quality alumina oxide. It offers customers a very fast sanding speed thanks to its plastic base, which enhances the product's strength and durability. Special coating technology on the surface ensures excellent anti-clogging performance during the sanding process. Suitable for grinding coatings such as stainless steel, aluminum, composite materials, putty, and soil. Suitable for all grinding stages, particularly intermediate and final grinding.



328 Purple Film Line

Available grits
40 60 80 100 120 150 180 220 240 320 400 500 600 800 1000 1200 1500 2000



328 Purple Film Line has sharper particle shapes, which contribute to more effective surface treatment. Due to the use of zirconia corundum, this abrasive offers a long service life. Suitable for rough grinding and intermediate grinding. Suggested for metal processing, removal of old LCP, and treatment of solid paint coatings.

|| DID YOU KNOW?

Excellent grinding efficiency and tear resistance

Film backing is highly durable and long-lasting. It does not tear easily during sanding operations and is excellent for sanding edges, corners, and irregular shapes.


Even sand planting with perfect grinding surface

With a uniform mineral coating on a perfectly smooth surface, the film performs better than paper. The result is an outstanding finish without any deep scratches.



BEST PERFORMANCE SANDING

CERAMIC




328 Plus Purple Film Line

Available grits
80 100 120 150 180 220 240 320 400



328 Plus Purple Ceramic Film Line features a blend of ceramic and semi-brittle corundum grains, which are 50% larger than the conventional zirconia particles commonly used in various applications. Its laser-cutting multiple hole pattern, designed to maximize dust extraction, makes the disc ideal for tasks such as paint removal, shaping rough body filler, achieving fine feather-edging, or preparing surfaces before blending or priming.




518 Orange Line

Available grits
40 60 80 100 120 150 180 220 240 320 400 500 600 800



518 Orange Line is designed for sanding automotive putty, primer, and old paint. These discs with ultra-premium ceramic grain can provide super-fast removal rates and an excellent finish. The special coating technology minimizes the risk of clogging, making the abrasives last much longer. The multiple-hole design provides maximum dust extraction and is available for paint removal and sanding body filler.



528 Blue Line


Available grits
40 60 80 100 120 150 180 220 240 320 400 500 600 800



528 Blue Line abrasive has a sharper particle shape, which enhances active surface treatment. Suitable for rough grinding and intermediate grinding. Recommended for metal processing, composite materials, removing old LCP, and treating solid paint.

BEST PERFORMANCE SANDING

NET ABRASIVE




818 Blue Net

Available grits
80 100 120 150 180 220 240 320 400 600 800 1000



818 Blue Net is developed to maximize dust extraction, creating a cleaner and healthier work environment. 818 Blue Net also works excellently on paint, putty, primer, and drywall applications. It is recommended to use it with Sandwox Pad Saver.



828 Orange Net

Available grits
80 120 150 180 220 240 320 400



828 Orange Ceramic Net sanding disc is engineered for optimal dust extraction, promoting a cleaner and healthier work environment. With its advanced open net design and high-quality sanding grains, the 828 Orange Ceramic Net sanding disc delivers exceptional cutting performance and efficient dust extraction across a range of solid surface materials. Furthermore, this sanding disc excels in primer sanding applications.

|| DID YOU KNOW?

Durability and Anti-Clogging

They offer exceptional resistance to edge wear and clogging, ensuring long-lasting and efficient use.



Strong Backing and Ease of Use

The improved woven mesh backing provides increased strength and edge wear resistance, while compatibility with hook-and-loop attachments makes them suitable for both machine and hand dry sanding.



BEST PERFORMANCE HANDING SANDING

WET & DRY SANDING SHEET




CW44 Wet & Dry



CW44 Wet & Dry Line uses silicon carbide abrasives on flexible, waterproof paper for a smooth, refined finish. Its durable resin-bonded backing stays soft and flexible, ensuring comfort for hand or machine use.

Available grits

80 100 120 150 180 220 240 320 400 600 800 1000 1200 1500 2000



CW54 Wet & Dry

Available grits

60 80 100 120 180 220 240 320 400 500 600 800 1000 1200 1500 2000 2500 3000



CW54 Wet & Dry Line is softer than the CW44. Its durable resin-bonded waterproof paper remains flexible and soft, offering a comfortable grip for hand or machine use. Enhanced latex content improves water resistance and durability.



WET & DRY SANDING SHEET



**Recommend used with
Double-side Hand Block for Wet Sanding**




CW64 Wet & Dry



Used wet or dry on paint, primer, gel coat and metal. Enhanced latex content improves water resistance and durability.

Available grits

80 120 150 180 220 240 320 400 500 600 800 1000 1200 1500 2000



58B Dry Sheet



58 Gold Line sanding sheet is perfect for finishing and heavy stock removal. It uses aluminum oxide grain for a fast, long-lasting cut, reinforced by high-strength resin bonding. A special stearate coating prevents clogging and loading.

Available grits


40 60 80 100 120 150 180 220 320 400 500 600 800

BEST FLEXIBLE & FOAM PERFORMANCE SANDING

FINISHING ABRASIVE



150MM
6-INCH




768 Super Fine Line

Available grits
1200 1500 2000



768 SOFTMASTER Superflex Line allows for dry sanding on the clear coat much faster than wet sanding. With its super sharp abrasives and super coating technology, it provides excellent anti-clogged performance and leaves an extremely uniform and even surface.



928 Magic Arrow Finishing Sanding Disc

Available grits
1000 3000




Sandwox 928 Magic Arrow finishing sanding disc features a specially designed three-dimensional structure of abrasives that are engineered for consistent cutting performance and long-lasting durability. As they wear down, they reveal fresh, sharp abrasive minerals. Our Magic Arrow finishing sanding discs are effective in removing 2000-grade sanding scratches, allowing you to spend less time on compounding.

|| DID YOU KNOW?


768 and 928 Ideal for Effectively Sanding Varnish Dust Spots

Fast and Uniform coverage with extremely shallow scratches, resulting from the combination of Ultra Flexible bonding and Super Sharp abrasives. Ideal for light sanding on all types of surfaces that demand shallow scratches, uniform finish and still can be done in the shortest time.



BEST PERFORMANCE HANDING SANDING

SCUFF




268 Scuff

Available grits
Fine(M)/Ultra Fine(G)



268 Scuff is a versatile, three-dimensional fiber sanding material. Its distinctive structure allows users to easily apply it to contoured surfaces, resulting in outstanding outcomes. It is particularly effective for sanding hard-to-reach areas, new components, factory primers, and for establishing a smooth foundation for subsequent layers of lacquer.



298 Pre Scuff

Available grits
Fine(M)/Ultra Fine(G)



298 Pre-Scuff Abrasive is softer than 268. It is a flexible volume abrasive made from synthetic polyamide fibers. Due to its unique three-dimensional structure, it performs effectively on complex contoured surfaces. This material is particularly well-suited for polishing various paint coatings in hard-to-reach areas, such as the internal surfaces of components and the external surfaces of different elements.


|| DID YOU KNOW?

Flexibility and Ease of Use

Both are flexible and easy to use on profiled or contoured surfaces, making them ideal for achieving smooth finishes.


Excellent Surface Preparation

They provide an excellent base for painting or lacquering, with Mirlon focusing on matting surfaces and Mirlon Total delivering a dense scratch pattern for a perfectly even surface.



BEST PERFORMANCE HANDING SANDING


SPONGE PAD



285 Double Sided Sponge Sanding Pad | Available grits Fine(G)/Ultra Fine(P)



285 Double Sided Sponge Sanding Pad. Ideal for preparation before the painting. Flexible sanding pad makes sanding fast and easy. Sanding on curves, edges and curved shapes.



286 Softmaster Sanding Sponge | Available grits Fine/Super Fine/Ultra Fine/Micro Fine



286 Softmaster™ Sanding Sponge has an aluminum oxide abrasive coating on the soft foam pad with a waterproof bonding system, which allows for wet and dry sanding. These sanding sponges are available in a range of grades, including fine, super fine, ultra fine and micro fine. Our 286 Softmaster™ sanding sponge can sand hard-to-reach areas on cars, trucks and vans such as around headlights openings, door handles, door jambs and other locations.

|| DID YOU KNOW?

Makes Difficult Sanding Easy

For hard-to-reach areas or unique profiles, choose the 286 for its flexibility and ability to conform to any shape. Its soft foam backing outperforms traditional paper-backed sandpaper.


The Reason Why We Chose Aluminum Oxide

Aluminum oxide minerals are a good match for automotive technicians who desire all-purpose versatility and economy. The mineral cuts fast while grinding, blending and deburring.



BEST PERFORMANCE QUICKLY HEAVY CUTTING

GRINDING DISCS & BELTS




Roloc Scouring Disc

Available grits
36 40 60 80



Sandwox Roloc Scouring Disc is constructed from durable synthetic fibers infused with abrasive grit, providing rapid cutting action without damaging metal surfaces. It is ideal for deburring metal and removing rust, paint, or scale, offering a safer alternative to wire bristle tools. This product have 2 size: 50mm, 75 mm.



Ceramic Roloc Disc

Available grits
36 60



Manufactured with high-quality grain and a finer crystalline structure, this product enhances the self-sharpening effect. The improved ceramic grain performance results in higher stock removal rates for metal applications. Additionally, lower grinding temperatures reduce friction and heat. Overall, it offers excellent cost-to-performance ratios. This product have 2 size: 50mm, 75 mm.




Used with Roloc Pad

|| DID YOU KNOW?

A Variety of Abrasive Grades

SANDWOX Roloc discs are available in a variety of grits and materials, including aluminum oxide and ceramic. They are ideal for grinding, blending, deburring, and polishing metals, composites, and other surfaces.



Ceramic File Belt

Available grits
36 60 80



Designed for grinding rivets and removing spot welds, our ceramic abrasives provide fast cutting performance and long-lasting durability. This product have 2 size: 10x330mm, 13x457mm.



|| DID YOU KNOW?

Ceramic file belt is the perfect companion for your belt sanding machines. It stands up to your toughest production sanding applications. The large sanding area allows you to complete the job quickly, whether you are working with hardwood, metal, or plastic.

- Deburr, Blend, and Finish Stainless Steel
- Ceramic Abrasive Grain Enhances Performance
- Sized to Suit Your Needs



BETTER PERFORMANCE TOOL SYSTEMS

INDUSTRIAL VACUUM CLEANERS



LX2232 32L/PC Vacuum Cleaner

- Fully utilize container capacity, the total volume should equal the net volume.
- Stepless speed regulation allows for the adjustment of suction force based on job requirements.
- Non-Woven Filter Bag: Enhanced Tear Resistance and Safety
- The anti-static function prevents the buildup of static electricity during operation.
- 100% German technology - ultra-long machine service life, durable, and reliable.
- 32L professional-grade dust collector, suitable for both dry and wet applications.

SPECIFICATIONS


LX2232

Power Consumption(W)	1400
Max. Volume Flow(l/min)	4500
Max. Vacuum(kPa)	25
Power Cable(m)	7.5
Container / Filter Bag Capacity(L)	32
Dimensions (L x W x H)mm	590x265x565
IP Grade	IPX4
Weight(kg)	16.3



ACCESSORIES INFORMATION

Pleated Filter



380003966

Dust Bag



380003969

Antistatic Suction Hose



380003971

Foldable Push Rod



380003974


Storage Bracket



380003968



Vaccum 32 L/PC



MULTIFUNCTIONAL, RELIABLE AND COMFORTABLE
Designed By Sandwox
100% Made By German Factory

BETTER PERFORMANCE TOOL SYSTEMS

BRUSHLESS SANDER



New generation brushless motor
Strong performance and longer lifespan

SX655 SX653 150/5 EC 150/3 EC Brushless Sander



- A grip kit with excellent hand feel, ensuring firm grip.
- High brightness LED auxiliary lighting design, searchlight for homework.
- Intelligent protection system, stable and reliable special balance system, can achieve low vibration operation.
- Equipped with disc brakes, it will not produce unnecessary grinding marks on the workpiece.
- Independent motor cooling system, vacuum system.
- Lightweight body, suitable for various polishing environments.

SPECIFICATIONS	SX655	SX653
Power Consumption(W)	400	400
No-load speed(RPM)	4000-10000	4000-10000
Eccentricity (mm)	5	3
Sanding pad size(mm)	150	125/150
Weight(kg)	1.3	1.3



ACCESSORIES INFORMATION

Porous hard edge
backing plate

BH65



Porous soft edge
backing plate

PS63






AVOID CONFUSION

The body has clear model differentiation

ACCESSORIES


Interface Pad

Item NO	Diameter	Attachment	Hole Patten	Pcs / Box	Box/Case
 IFP6N	6 Inch	H&L	No Hole	1	20
 IFP6M	6 Inch	H&L	Multiple Hole	1	20
 SIFP6N-1	6 Inch	Double-side H&L	No Hole	1	20




Pad Saver

Item NO	Diameter	Description	Hole Patten	Pcs / Box	Box/Case
 PD253/PD346	5 Inch	Flat/Long	33 Holes	5	20
 PD254	5 Inch	Flat	44 Holes	5	20
 PD255	6 Inch	Flat	No Hole	5	20
 PD256/PD347	6 Inch	Flat/Long	67 Holes	5	20


Blue Hand Sanding Block

Item NO	Diameter	Attachment	Hole Patten	Pcs / Box	Box/Case
 BHB-5	2-3/4 Inch x 4.9 Inch	H&L	Multiple Hole	1	4
BHB-8	2-3/4 Inch x 8 Inch	H&L	Multiple Hole	1	4
BHB-16	2-3/4 Inch x 16 Inch	H&L	Multiple Hole	1	4

Polishing Foam Pad

	Diameter	Attachment	Description	Pcs / Box	Box/Case
	3 INCH / 5 INCH / 6 INCH / 8 INCH	H&L	Cutting/Polishing/Finishing	1	20
	3 INCH / 5 INCH / 6 INCH / 8 INCH	H&L	Cutting/Polishing/Finishing	1	20
	3 INCH / 5 INCH / 6 INCH / 8 INCH	H&L	Cutting/Polishing/Finishing	1	20

Single-side Wool Pad

Item NO	Diameter	Grit	Color	Pcs / Box	Box/Case
 GS-01	8 Inch with 7 Inch Hook & Loop	Cutting	Yellow	1	20


Double-sided Soft Hand Block

Item NO	Diameter	Color	Pcs / Box	Box/Case
 SHB-60125	2-2/5 Inch x 5 Inch x 1/2 Inch	White & Grey	1	4

Foam Masking Tape

Item NO	Diameter	Color	Pcs / Box	Box/Case
 FT1350	13mm x 50m 1/2 Inch x 55 Yds	White	1	4

GC-BK45 Dry Guide Coat

Item NO	Diameter	Color	Pcs / Box	Box/Case
 GC-BK45	450ml	Black	1	12

|| CONTACT US



Call Us

+86-18861272058



E-mail

admin@sandwox.com



Factory Address

No.32 Daoxiang West Road,
Wujin Economic Development Zone,
Changzhou, Jiangsu, China